

TaylorMade Golf Company Introduces P790 UDI

Continuing the Resounding Success of the P790 Irons, the new P790 UDI Combines Forged Construction with SpeedFoam™ Technology for Extraordinary Distance and Accuracy

Basingstoke, Hants. (March 29, 2018) – TaylorMade Golf, the industry leader in iron technology and innovation, announced today the extension of its globally successful P790 irons with the introduction of P790 UDI, a forged driving iron engineered with breakthrough SpeedFoam Technology for golfers seeking the forged look and feel of a players iron with increased distance and accuracy off the tee or fairway. To date, World #1 Dustin Johnson, #3 Jon Rahm as well as TaylorMade stablemates Justin Rose, Rory McIlroy and Jason Day have all played the P790 UDI on Tour already this season.

The most popular and successful players-distance iron in company history, P790 has seen remarkable success at both the consumer and Tour levels, with many players putting a variety of P790 irons into play in competition, opting for a forged iron that delivers remarkable distance and playability combined with preferred feel in a medium-compact head design with a thinner topline. Similar to the other irons in the set, the P790 UDI is constructed with a soft, 8620 carbon steel body combined with high-strength forged 4140 carbon steel with a wrapped-face construction in a hollow body design.



The P790 UDI's hollow construction is filled with TaylorMade's proprietary SpeedFoam material, which serves a dual purpose of generating ball speed as well as the management of sound and feel. Injected into the clubhead, the low-density SpeedFoam provides the face support and damping properties that make the performance of the P790 unlike any other iron in the TaylorMade family.

The P790 UDI also features a re-engineered Inverted Cone Technology optimised for the slightly smaller face area. TaylorMade's previous ICT had a larger, heavier profile. The new, smaller Inverted Cone in the P790 UDI allows for reduced face thickness at the edges of the face, thus increasing flexibility from heel to toe and low on the clubface, resulting in more ball speed across the entire face. For forgiveness and playability, P790 irons feature strategically placed internal metal-injection-molded (MIM) tungsten weighting for precise CG placement and higher moment of inertia (MOI).

After experiencing increasing demand from the best golfers on worldwide Tours, we're excited to bring the Ultimate Driving Iron to golfers everywhere with the new P790 UDI. Offering SpeedFoam in a driving iron for the first time ever, the P790 UDI delivers distance and accuracy like never before seen in an iron.

— Tomo Bystedt, Senior Director, Product Creation

Specifications, Pricing & Availability

Available in April at an RRP of £199 / €239 / 269CHF / 1,799DKK / 2,299NOK / 2,299SEK, P790 UDI will be offered in RH only as a 2-iron (17°) and comes equipped with Project X's popular HZRDUS Black shaft (85g) designed for low launch/low spin and gripped with a Golf Pride TV 360. Additionally, the P790 will be available for custom build with an extensive offering of steel and graphite (.355) options.

Additional specifications:

- Loft: 17°
- Lie: 60°
- Offset: 3.2mm
- Length: 40" (steel 39.25")
- Swingweight: D2



For additional requests or more information, please contact:



Jon Greathead

EMEA PR and Marketing Manager

jonathan.greathead@tmag.com

+44 (0) 7966 936 381

+44 (0) 1256 408639



James Smith

PR Executive

james.smith@tmag.com

+44 (0) 1256 408768

+44 (0) 7432 128393

ABOUT TAYLORMADE GOLF EUROPE

About TaylorMade Golf Company

Headquartered in Carlsbad, California, TaylorMade Golf is a leading manufacturer of high performance golf equipment with industry-leading innovative products like M1 and M2 metalwoods, M1 and M2 irons and TP5/TP5X golf balls. TaylorMade is also a major force on the PGA TOUR with one of the strongest athlete portfolios in golf, that includes world no.1 Dustin Johnson and five of the current Top 15 in the world.



TaylorMade Golf Europenewsroom